EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	58	(Toshihiko near2 Fukuoka).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L2	10	(Taemi near2 Wada).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L3	5	(1 2) and encrypt$3 and decrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L4	906499	matsushita.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L5	939	4 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L6	95	5 and des and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L7	8	6 and selector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:22

L8	11	(cipher adj block adj chaining).clm. and (cipher adj feedback adj mode).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:25
L9	11	selector.clm. and (bit adj mask).clm. and (switch).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2451	713/160,162.ccls. 380/28.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L2	80	des same cbc same ecb same cfb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L3	10	embed$4 with identifier with (algorithm mode) with (encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L4	102	embed$4 same identifier same (algorithm mode scheme) same (encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L5	92	L4 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L6	37	((choos$3 select$3) with mode) and (ecb and cbc and ofb and cfb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L12	2841	(choos$3 select$3 indicat$3) with (type mode option) with (encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33

L13	28	((choos$3 select$3 indicat$3) with (type mode option) with (encrypt$3)) and cbc and cfb and ofb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L16	157	multiple with encrypt$3 with mode	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33
L19	99	cipher$3 with (block and chan$3 and feedback)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33
L20	276	cipher$3 with (block and chain$3 and feedback)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33
L21	211	(cipher$3 with (block and chain$3 and feedback)) same (mode)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33
L22	837	713/150.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L23	1264	((embed$4 insert$3 indicat$3) with (flag mark)) and ((encrypt$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L24	18	L22 and L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L25	162	((embed$4 insert$3 indicat$3) with (flag mark) with (head$3)) and ((encrypt$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L26	80	((embed$4 insert$3 indicat$3) with (flag mark indicator) with (head$3) with (type mode)) and ((encrypt$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L27	635	packet with (indicat$3 flag mark$3) with (type mode) with (encipher$3 encrypt$3 encod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L28	9	L22 and L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L31	153	((embed$4 insert$3 indicat$3) with (flag mark) with (header)) and ((encrypt$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L32	197	(embed$4 insert$3 indicat$3) with (flag mark) with (encrypt$3 cipher) with (mode type algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L33	27	(embed$4 insert$3 indicat$3) with (flag mark) with (encrypt$3 cipher) with (mode type algorithm) with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L34	134	"DES" and CBC and CFB and ECB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L35	6	L33 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L36	6	(L31 or L32 or L33) and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L37	19	L23 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L41	100	(embed$4 insert$3 indicat$3) with (algorithm cipher) with (encrypt$3 encipher$3) with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L43	185	packet with (indicat$3 flag mark$3) with (type mode) with (encipher$3 encrypt$3 encod$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L44	231	packet with (indicat$3 flag mark$3 embed$4 insert$3) with (type mode algorithm cipher) with (encipher$3 encrypt$3 encod$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L45	985	packet with (type mode algorithm cipher) with (encipher$3 encrypt$3 encod$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L46	220	packet with (algorithm cipher) with (encipher$3 encrypt$3 encod$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L47	6	L22 and L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L50	33	packet with (indicat$3) with (algorithm cipher) with (encrypt$3 encipher$3 encod$3) with (data content obdy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L57	10178	(cipher$3 encod$3 encipher$3 encrypt$3) with (mode algorithm) with (choos$3 select$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L58	1444	((transmit$4 send$3 embed$4) with (packet)) and L57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L59	181	((transmit$4 send$3 embed$4) with (packet)) same L57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L60	192	des and cbc and cfb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L61	8	L58 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L62	837	713/150.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L63	19	L58 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L64	38	L57 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L67	13546	(cipher$3 encod$3 encipher$3 encrypt$3) with (mode algorithm) with (choos$3 select$3 indicat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L68	24553	(embed$4 insert$3) with (packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L69	68657	(select$3 choos$3) with (algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L70	251	L67 and L68 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L72	115	L70 and @ad<"20030808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L81	150593	select$3 with (synchroniz$5 delay$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33
L82	44216	select$3 with process$3 with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L83	169535	(delay$3 with process$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L84	50001	(initial near2 (data vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L85	622	select$3 with (synchroniz$5 delay$3) with ("XOR" or "EXOR" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

L86	1	L81 L82 L83 L84 L85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/08 07:33
L87	14851	select$3 and (synchroniz$5 delay$3) and (process$3) and (initial) and (data vector) and ("XOR" or "EXOR" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L88	315	select$3 and (synchroniz$5 delay$3) and (process$3) and ((initial) near2 (data vector)) and ("XOR" or "EXOR" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or") and (bit near mask$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L89	20057	"380".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L90	5	L88 and L89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	68	(des with mode) and "cbc" and "cfb" and "ecb"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L4	1935	bitwise near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L5	0	mask$3 and L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L6	2	bitwise and mask$3 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L7	20076	des with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L8	20076	"des" with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L9	155	"cbc" and "cfb" and "ecb"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31

L10	68	L8 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L11	0	L10 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31